

## ADDENDUM NO. 2

TO: PLANS AND SPECIFICATIONS FOR STATE OF MISSOURI

Roof Replacement  
Kirksville Regional Office  
Kirksville, Missouri  
PROJECT NO.: M1706-01

***Bid Opening Date: 1:30 PM, Thursday, July 12, 2018 (Not Changed)***

Bidders are hereby informed that the construction Plans and/or Specifications are modified as follows:

### **SPECIFICATION CHANGES:**

1. Section 074113.16 – STANDING-SEAM METAL ROOF PANELS, 2.2 STANDING-SEAM METAL ROOF PANELS, Paragraph B, subsection 1: ***DELETE*** subsection “1” and replace as follows:

1. ***Basis-of-Design Product: Subject to compliance with the requirements of these specifications, provide Berridge Manufacturing Company; Double-Lock Zee-Lock (180 Degree Seam) or comparable product by one of the following:***
  - a. ***MBCI Double-Lok***
  - b. ***American Building Components LokSeam***
  - c. ***Dimensional Metals, Inc. Double-Lock***
  - d. ***Englert, Series 2500 Panel System***
  - e. ***Petersen Aluminum, Tite-Loc Plus***
  - f. ***Butler, MR-24 Roof System***
  - g. ***Behlen ZL-16***
  - h. ***Union Corrugating Company, ML200***
  - i. ***Firestone Building Products, UNA-CLAD UC-6***
  - j. ***McElroy Metal, Maxima ADV***

2. Section 074113.16 – STANDING-SEAM METAL ROOF PANELS, 1.11 WARRANTY, Paragraph C, subsection 1: ***DELETE*** subsection “1” and replace as follows:

1. ***Warranty Period: Twenty years from date of Substantial Completion.***

### **DRAWING CHANGES:**

*None*

### **ATTACHMENTS:**

*None*

July 5, 2018

END ADDENDUM NO. 2